Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME V

(New names and final members of new combinations are in **heavy-face** type.)

Adaptation, theory of, as related to endurance of extremes, 507
Aecidiaceae of Guatemala, 420
Agarics, development of exogenous species of, 36
Aira, type of, 252
Aldehyde, production of, by chlorophyll and by aniline dyes, 511
Alkali salts, copper and zinc as antagonistic to, 151
Andropogon, type of, 251
Aniline dyes, production of aldehyde by, 511
Antagonistic agents to alkali salts, 151
APPLEMAN, CHARLES O. Respiration and catalase activity in sweet corn, 207
Arisaema, raphides in, 450
ARTHUR, J. C. Uredinales of Guatemala based on collections by E. W. D. Holway. I. Introduction, Coleosporiaceae and Uredinaceae, 325; II. Aecidiaceae, exclusive of Puccinia and form-genera, 420; III. Puccinia, exclusive of species on Carduaceae, 462; IV. Puccinia on Carduaceae, form-genera and index, 522.
Aspergillus fumigatus, *A. nidulans*, *A.* **terreus** n. sp. and their allies, 84
Aspergillus, list of published species of, 99
ATKINSON, GEORGE F. Selected cycles in *Gymnoconia peckiana*, 79; Some new species of Inocybe, 210
Axillary cleistogenes in some American grasses, 254

BACHMANN, FREDA M. A bacteriological method useful for the study of other micro-organisms, 32
Bacteria, effect of gas on, 1
Bacteriological method useful for the study of other micro-organisms, 32
Barley, used in experiments with alkali salts, 153
BARTLETT, H. H. (See Brotherton, Wilber, Jr., 192, and Sando, Chas. E., 112)
Behavior of plants in unventilated chambers, 284
BLACK, O. F. Calcium oxalate in the dasheen, 447
BOWERMAN, ETTA A. (See Newcombe, F. C., 284)
Breeding for disease resistance in plants, 279
BROTHERTON, WILBER, JR. and BARTLETT, H. H. Cell measurement as an aid in the analysis of quantitative variation, 192
Buckwheat, salt requirements for, 186

Calcium oxalate in the dasheen, 447
Carbon monoxide, effect of, on bacteria and fungi, 25
Catalase activity in corn, 207
Cell division by furrowing in Magnolia, 379
Cell measurement as an aid in the analysis of quantitative variation, 192
CHASE, AGNES. Axillary cleistogenes in some American grasses, 254
Chlorophyll, production of aldehyde by, 511
CHURCH, MARGARET B. (See Thom, Charles, 84)
Climacium americanum, host of Eocronartium, 398
Coix, type of, 250
Coleosporiaceae of Guatemala, 325

Colocasia esculenta, the dasheen, 447
Cololejeunea **contractiloba,** 132
Comparison of salt requirements for young and for mature buckwheat plants in water cultures and sand cultures, 186
Conservatism and variability in the seedling of Dicotyledons, 120
Contrast in the floras of eastern and western Newfoundland, 237
Copper and zinc as antagonistic agents to the "alkali" salts in soils, 151
Corn, respiration and catalase activity in, 207
Cottea pappophoroides, cleistogene in, 256
Crotonocalyces, section of Cyrtandreae, 259
Cryptococcus **Ludwigi,** 5
Cyrtandra baccifera, 274; **begoniaefolia,** 268; **caulescens,** 275; *cordifolia*, 264, var. **gynoglabra,** 265; **crassifolia,** 265; *kealiae*, 260; **Knudsenii,** 261; *malacophylla*, 262, var. **erosa,** 262; **mauiensis,** 266, var. **truncata,** 266; *Pickeringii*, 275, var. **honolulensis,** 277, var. **waiheae,** 276; *platyphylla*, 269, var. **hiloensis,** 273, var. **membranacea,** 273, var. **parviflora,** 272, var **robusta,** 274, var. **typica,** 271, var. **stylopubens,** 271, forma **ovata,** 272; **tintinnabula,** 267; *Wawrai* 263
Cyrtandreae Hawaiienses, Sect. Crotonocalyces Hillebr., 259
Cytology of *Eocronartium muscicola*, 397

Dactylis, type of, 252
Danthonia spicata, cleistogene in, 254
Dasheen, calcium oxalate in, 447
Demonstration of photosynthesis, 105
Development of some exogenous species of Agarics, 36
DICKSON, JAMES GEERE. The value of certain nutritive elements in the development of the oat plant, 301
Disease resistance in plants, breeding for, 279
DOUGLAS, GERTRUDE E. The development of some exogenous species of Agarics, 36

Echinops sphaerocephalus, structure of seedling of, 122, 124
Effect of illuminating gas and its constituents on certain bacteria and fungi, 1
Effect of tobacco smoke and methyl iodide vapor on the growth of certain micro-organisms, 177
Endurance of extreme conditions and its relation to the theory of adaptation, 507
Entoloma cuspidatum, development of, 48; *flavifolium*, 45; *grayanum*, 47
Eocronartium muscicola, cytology of, 397
Ephedra dioica, seedling type of, 124
Epiphytes, osmotic concentration of tissue fluids of, 490
Erianthus, type of, 251
Ethylene, effect of, on bacteria and fungi, 22
Euosmolejeunea **parvula,** 143
EVANS, ALEXANDER W. Noteworthy Lejeuneae from Florida, 132

Fagopyrum esculentum, salt requirements for, 186
FARR, CLIFFORD H. Cell division by furrowing in Magnolia, 379
FERNALD, M. L. The geographic affinities of the vascular floras of New England, the Maritime Provinces, and Newfoundland, 219; The contrast in the floras of eastern and western Newfoundland, 237
Fisetin, yellow wood pigment, of Rhus, 114
FITZPATRICK, HARRY M. The cytology of *Eocronartium muscicola*, 397
Flavones of Rhus, 112
Florida, Lejeuneae from, 132
Floras of New England, Maritime Provinces, and Newfoundland, 219; of Newfoundland, 237
Fungi, effect of gas on, 1

Gas, effect of, on bacteria and fungi, 1
Generic types with reference to the grasses of the United States, 248
Geographic affinities of the vascular floras of New England, the Maritime Provinces and Newfoundland, 219
GERICKE, W. F. (See Lipman, C. B., 151)
Grasses, generic types of, 248; axillary cleistogenes in, 254
Grevillea robusta, seedling type of, 124
Guatemala, rusts of, 325, 420, 462, 522; Index to rusts of, 541
Gymnoconia peckiana, selected cycles in, 79

HARRIS, J. ARTHUR. On the osmotic concentration of the tissue fluids of phanerogamic epiphytes, 490
HARVEY, R. B. AND TRUE, R. H. Root absorption from solutions at minimum concentrations, 516
Histology of the phloem in certain woody Angiosperms, 347
HITCHCOCK, A. S. Generic types with reference to the grasses of the United States, 248
Holcus, type of, 251
HOLWAY, E. W. D., collector of Guatemalan rusts, 325, 420, 462, 522
Hygrophorus borealis, development of, 44; *miniatus*, 41; *nitidus*, 43

Influence of certain added solids upon the composition and efficiency of Knop's nutrient solution, 452
Inocybe **ammophila,** 210; **atripes,** 210; **brunnescens,** 211; **cylindrocystis,** 211; **fastigiella,** 211; **leptocystella,** 212; **leptocystis,** 212; **leptophylla,** 212; **leptophylla** var. **cystomarginata,** 213; **longicystis,** 213; **marmoripes,** 213; **nigrescens,** 214; **ochraceoscabra,** 214; **olpidiocystis,** 214; **paludosella,** 215; **retipes,** 215; **rubellipes,** 215; **sambucella,** 215; **submuricellata,** 216; **subrubescens,** 216; **tenerrima,** 216; **tubarioides,** 217; **ventricosa,** 217; **violaceoalbipes,** 217; **virgata,** 218

JONES, DONALD F. Segregation of susceptibility to parasitism in maize, 295

Knop's nutrient solution, influence of added solids on, 452

Lavatera arborea, seedling type of, 124
Leersia, type of, 252
Lejeunea **cladogyna,** 135; *longifissa*, 138
Lejeuneae from Florida, 132
LIPMAN, C. B. AND GERICKE, W. F. Copper and zinc as antagonistic agents to the "alkali" salts in soils, 151
LIVINGSTON, B. E. AND TOTTINGHAM, W. E. A new three-salt nutrient solution for plant cultures, 337
LUDWIG, C. A. The effect of illuminating gas and its constituents on certain bacteria and fungi, 1; The effect of tobacco smoke and of methyl iodide vapor on the growth of certain microorganisms, 171; and REES, C. C. The structure of the uredinium in *Pucciniastrum Agrimoniae*, 55

MACDANIELS, L. H. The histology of the phloem in certain woody Angiosperms, 347
Magnolia, cell-division by furrowing in, 379
Maize, segregation of susceptibility to parasitism in, 295
Malayan flora, addition of Oreomyrrhis to, 514
Maritime Provinces, flora of, 219
MARTIN, WILLIAM H. (See Shive, John W., 186)
MERRILL, E. D. *Oreomyrrhis* **borneensis** Merr. sp. nov., an interesting addition to our knowledge of the Malayan flora, 514
Methane, effect of, on bacteria and fungi, 20
Method of demonstrating the production

of aldehyde by chlorophyll and by aniline dyes in the presence of sunlight, 511
Methyl iodide vapor, effect of, on growth of micro-organisms, 171
Micro-organisms, method for studying, 32; effect of tobacco smoke and methyl iodide vapor on, 171
Momordica Balsamina, structure of seedling of, 123, 124
Muhlenbergia microsperma, cleistogene in, 256
Mycena **subalcalina,** 37; development of, 37
Myricetin, leaf pigment, of Rhus, 117

NEWCOMBE, F. C. AND BOWERMAN, ETTA A. Behavior of plants in unventilated chambers, 284
New England, flora of, 219
Newfoundland, flora of, 219, 237
Nutrient solution, new three-salt, 337; Knop's, modified, 452

Oat, value of nutritive elements in, 301
Oreomyrrhis **borneensis** Merr. sp. nov., an interesting addition to our knowledge of the Malayan flora, 514
ORTON, W. A. Breeding for disease resistance in plants, 279
Osmotic concentration of the tissue fluids of phanerogamic epiphytes, 490
OSTERHOUT, W. J. V. A demonstration of photosynthesis, 105; Endurance of extreme conditions and its relation to the theory of adaptation, 507; A simple method of demonstrating the production of aldehyde by chlorophyll and by aniline dyes in the presence of sunlight, 511

Pappophorum Wrightii, cleistogene in, 256
Phalaris, type of, 252
Phaseolus multiflorus, epidermis of, grown in light and dark, 196
Philocopra coeruleotecta, spore formation in, 61
Phloem, histology of, in woody Angiosperms, 347
Photosynthesis, demonstration of, 105
Plankton, Volvox in, 178
Poa, type of, 252
Ptychocoleus **heterophyllus,** 146
Puccinias of Guatemala, 462, 522
Pucciniastrum Agrimoniae, structure of uredinium in, 55

Rectolejeunea Maxonii, 140
REES, C. C. (See Ludwig, C. A., 55)
Respiration and catalase activity in sweet corn, 207
Rhus, flavones of, 112
ROCK, JOSEPH F. Cyrtandreae Hawaiienses, Sect. Crotonocalyces Hillebr., 259
Root absorption from solutions at minimum concentrations, 516
Rusts of Guatemala, 325, 420, 462, 522; Index of, 541

SANDO, CHAS. E. AND BARTLETT, H. H. The flavones of Rhus, 112
SAX, HALLY JOLIVETTE. Spore formation in *Philocopra coeruleotecta*, 61
Segregation of susceptibility to parasitism in maize, 295
Selected cycles in *Gymnoconia peckiana*, 79
SHIVE, JOHN W. AND MARTIN, WILLIAM H. A comparison of salt requirements for young and for mature buckwheat plants in water cultures and sand cultures, 186
SINNOTT, EDMUND W. Conservatism and variability in the seedling of Dicotyledons, 120
SMITH, GILBERT MORGAN. The vertical distribution of Volvox in the plankton of Lake Monona, 178
Spore formation in *Philocopra coeruleotecta*, 61
Structure of the uredinium in *Pucciniastrum Agrimoniae*, 55

Susceptibility to parasitism in maize, 295

Thespesia populnea, structure of seedling of, 121, 124

THOM, CHARLES AND CHURCH, MARGARET B. *Aspergillus fumigatus*, *A. nidulans*, *A.* terreus n. sp. and their allies, 84

Three-salt nutrient solution for plant cultures, 337

Tobacco smoke, effect of, on growth of micro-organisms, 171

TOOLE, E. H. AND TOTTINGHAM, W. E. The influence of certain added solids upon the composition and efficiency of Knop's nutrient solution, 452

TOTTINGHAM, W. E. (See Livingston, B. E., 337; and Toole, E. H., 452)

Triplasis purpurea, cleistogene in, 254

Tradescantia fluminensis, endurance of extreme conditions by, 507

TRUE, R. H. (See Harvey, R. B., 516)

Uredinales of Guatemala based on collections by E. W. D. Holway, 325, 420, 462, 522

Uredinium, structure of, in Pucciniastrum, 55

Ustilago zeae, resistance of strains of corn to, 295

Value of certain nutritive elements in the development of the oat plant, 301

Variability and conservatism in the seedling of Dicotyledons, 120

Variation, cell measurement as an aid in analysis of, 192

Volvox, vertical distribution of, in plankton of Lake Monona, 178

Yeast, bacteriological method for study of, 32

Zinc as antagonistic agent to alkali salts, 151